


CryptoCard RB1 Token Usage

Arizona Department of Transportation

DATA SECURITY SECTION

RB-1 CRYPTOCARD Token Logon Procedures




These procedures are for the use of all CRYPTOCARD token users. It is our wish to simplify these procedures as much as possible but for the sake of individuals with minimal computer knowledge it is recommended that you seek the assistance of your local LAN technician.


The RB-1 Authentication Token is an inexpensive method of adding an extra layer of security to the ADOT network. Once a network user accesses the network remotely, the access is as stable as if they were directly connected to the network.

CryptoCard RB1 Token Usage


1. **DISPLAY WINDOW.**
2. **KEYPAD**
3. **ON/OFF Button** - Depressing while in off mode will activate token. Token will automatically power off after 60 seconds of inactivity
4. **CH/MAC Button** - Challenge/Message Authentication Code. Used to enter the challenge number for the purpose of re-synchronizing the token
5. **“→” Button** - Used for manual initialization of the Token
6. **ENT Button** - Enter key
7. **CPIN Button** – Not Used
8. **CLR Button** – Used to clear mistakes made on the keypad prior to pressing the **ENT** Button




9. Press the **ON/OFF** button to activate the token and the “PIN?” display will show.



10. Using the keypad, type the pin number, which was issued to you when you received your token, and press the **ENT** button. The pin will show in the display as asterisks.




11. Your RACF ID should show in the window. If it does not, contact Data Security at (602) 712-4425.




CryptoCard RB1 Token Usage


12. Press the **ENT** button and you will see the 8 digit challenge number. This number is used when the card is out of synchronization to get it back in synch



13. Press the **ENT** button again and you will see an 8 digit number which resembles a phone number. This is the password that will be used to access the ADOT Network. It should be entered as shown including the dash



14. If for any reason you see this display it means that the card has been locked. This usually is from the incorrect pin being entered 10 or more times. If this occurs, contact Data Security at (602) 712-4425 to have the card re-initialized.



CryptoCard RB1 Token Usage